

REOLUBE® TURBOFLUID 32B GT

Version 1.1

Revision Date 06/23/2017

Print Date 11/09/2017

SECTION 1. IDENTIFICATION

Product name: REOLUBE® TURBOFLUID 32B GT

Product Use Description: Lubricant

Company: LANXESS Canada Co./Cie
25 ERB STREET
Elmira, Ontario
N3B 3A3 Canada
Telephone: (US) +1 866-430-2775Emergency telephone number: :
CANUTEC: 613-996-6666 (call collect) (CANUTEC)

For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

Prepared by Product Safety Department
(US) +1 866-430-2775

MSDSRequest@chemtura.com

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : For professional and industrial installation and use only.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

REOLUBE® TURBOFLUID 32B GT

Version 1.1

Revision Date 06/23/2017

Print Date 11/09/2017

- Hazard statements : H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

| Chemical name | CAS-No. | Concentration (% w/w) |
|--|------------|-----------------------|
| Phenol, isobutyleneated, phosphate [Triphenyl phosphate > 25%] | 68937-40-6 | >= 90 - <= 100 |

SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

REOLUBE® TURBOFLUID 32B GT

Version 1.1

Revision Date 06/23/2017

Print Date 11/09/2017

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.
- Environmental precautions : Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Personal protective equipment

REOLUBE® TURBOFLUID 32B GT

Version 1.1

Revision Date 06/23/2017

Print Date 11/09/2017

Hand protection

Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.

Eye protection

: Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection

: Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : No data available

Odour Threshold : No data available

pH : No data available

: Not applicable

Boiling point/boiling range : > 300 °C
(1,013 hPa)

Flash point : 220 °C

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.17 (20 °C)

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

REOLUBE® TURBOFLUID 32B GT

Version 1.1

Revision Date 06/23/2017

Print Date 11/09/2017

| | |
|--|---|
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature | : 560 °C |
| Viscosity | |
| Viscosity, dynamic | : 28.8 - 35.2 mPa.s (40 °C) Method: ASTM D 445 |
| Viscosity, kinematic | : No data available 120 mm ² /s (25 °C) |
| Self-Accelerating decomposition temperature (SADT) | : Method: No information available. |
| Oxidizing potential | : No information available. |

SECTION 10. STABILITY AND REACTIVITY

| | |
|------------------------------------|---|
| Reactivity | : Stable under recommended storage conditions. |
| Chemical stability | : No decomposition if stored and applied as directed. |
| Possibility of hazardous reactions | : No decomposition if used as directed. |
| Conditions to avoid | : Exposure to moisture Contamination |
| Incompatible materials | : Oxidizing agents |
| Hazardous decomposition products | : Carbon oxides Oxides of phosphorus |

SECTION 11. TOXICOLOGICAL INFORMATION

Skin corrosion/irritation

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Serious eye damage/eye irritation

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

REOLUBE® TURBOFLUID 32B GT

Version 1.1

Revision Date 06/23/2017

Print Date 11/09/2017

Aspiration toxicity

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish :
Remarks: No data available

Components:

Phenol, isobutyleneated, phosphate [Triphenyl phosphate > 25%]:

Toxicity to fish : LC50 (Fish): 0.8 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.202 mg/l
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.093 mg/l
Exposure time: 90 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0399 mg/l
Exposure time: 21 d

Persistence and degradability

Product:

Biodegradability : Result: No data available

Components:

Phenol, isobutyleneated, phosphate [Triphenyl phosphate > 25%]:

Biodegradability : GLP: yes
Remarks: Readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

REOLUBE® TURBOFLUID 32B GT

Version 1.1

Revision Date 06/23/2017

Print Date 11/09/2017

Phenol, isobutyleneated, phosphate [Triphenyl phosphate > 25%]:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1,850

Partition coefficient: n-octanol/water : log Pow: 4.85 (25 °C)

Mobility in soil**Product:**

Mobility : Remarks: No data available

Other adverse effects**Product:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Phenol, isobutyleneated, phosphate [Triphenyl phosphate > 25%])
Class : 9
Packing group : III
Labels : Miscellaneous

REOLUBE® TURBOFLUID 32B GT

Version 1.1

Revision Date 06/23/2017

Print Date 11/09/2017

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol, isobutyleneated, phosphate [Triphenyl phosphate > 25%])
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol, isobutyleneated, phosphate [Triphenyl phosphate > 25%])
 Class : 9
 Packing group : III
 Labels : 9
 ERG Code : 171
 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

Please note that Section 3 of this document lists only the hazardous components required by the specific country or region hazard communication regulations. The chemical identifiers listed in Section 3 are used globally for hazard communication purposes and may not reflect those used for chemical inventory coverage in a particular country or region. The chemical inventory information given in Section 15 of this document applies to the product as a whole and should be used when evaluating inventory compliance.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL
 AICS : On the inventory, or in compliance with the inventory
 NZIoC : Not in compliance with the inventory
 ENCS : On the inventory, or in compliance with the inventory
 KECI : On the inventory, or in compliance with the inventory
 PICCS : On the inventory, or in compliance with the inventory
 IECSC : On the inventory, or in compliance with the inventory
 TCSI : On the inventory, or in compliance with the inventory

REOLUBE® TURBOFLUID 32B GT

Version 1.1

Revision Date 06/23/2017

Print Date 11/09/2017

US.TSCA : On TSCA Inventory

Canadian lists

Canada. Canadian Environmental Protection Act (CEPA). WHMIS Ingredient Disclosure List (Can. Gaz., Part II, Vol. 122, No. 2): WHMIS Ingredient Disclosure List IDL: No component is listed on the WHMIS ingredients disclosure list.

Canada. Canadian Environmental Protection Act (CEPA). National Pollutant Release Inventory (NPRI) (Can. Gaz. Part I, 135:12, 940): Canadian National Pollutant Release Inventory (NPRI): No component is listed on NPRI.

Canada. CEPA 1999 Significant New Activity (SNAc) List: No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Other Emergency Phone Number

| | | |
|-----------------------|---------------------|----------------------|
| <u>Latin America:</u> | Brazil | +55 113 711 9144 |
| | All other countries | +44 (0) 1235 239 670 |
| <u>Mexico:</u> | | +52 555 004 8763 |

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concern-

REOLUBE® TURBOFLUID 32B GT

Version 1.1

Revision Date 06/23/2017

Print Date 11/09/2017

ing the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 06/23/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN